JAPAN'S ENERGY

10 questions for understanding the current energy situation

Energy Security Environment How much energy can Japan supply independently? **Economic** Safety **Efficiency** What steps are being taken to ensure a stable energy How are electric power supply and safety? rates changing? What is the government's basic energy policy? **Innovation** Reconstruction of Fukushima working on to achieve Is Japan advancing the decarbonization? Fukushima? Renewable **Nuclear Power** Energy Is nuclear power generation necessary? Is Japan advancing the introduction of Energy renewable energy? **Efficiency** How much energy efficiency has Japan Issued: February 2023 accomplished?







Energy Security


Changes in Energy Self-Sufficiency Ratio



How much energy can Japan supply independently from domestic resources?




In FY 2020, Japan's self-sufficiency ratio was 11.3% — lower than those of other OECD countries.



Source: Estimates for 2020 from IEA "World Energy Balances 2021", except for data on Japan, which are confirmed values of FY 2020, derived from "Comprehensive Energy Statistics of Japan", published by the Agency for Natural Resources and Energy

Energy self-sufficiency ratio in Japan



Primary energy sources: Primary forms of energy, including oil, natural gas, coal, nuclear power, solar power, and wind power.


Energy self-sufficiency rate: The percentage of the primary energy resources required for people's daily life and economic activities which can be produced or acquired in their own country.



What sources of energy does Japan depend on?

A

Japan is largely dependent on oil, coal, natural gas (LNG), and other fossil fuels imports. Following the Great East Japan Earthquake, the degree of dependence on fossil fuels has increased to 83.2% in FY 2021 in Japan.



Source: preliminary values of FY 2021, derived from "Comprehensive Energy Statistics of Japan", published by the Agency for Natural Resources and Energy * The sum of the values shown may not be 100% in some cases due to rounding of values.

* Renewable energy here, including geothermal power, wind power, and solar power, but not hydroelectric power, includes unused energy.

^{*} The ranks in the table are those of the 38 OECD member countries.

Resource Procurement Status




What countries does Japan import fossil fuels from?



Japan depends on the Middle East for around 90% of its crude oil imports. For LNG and coal, although dependence on the Middle East is low, Japan still relies on imports from Asia and other overseas sources.

Sources of Japanese fossil fuel imports (2021)



Source: "Trade Statistics of Japan", Ministry of Finance (The degree of dependence on sources outside Japan on FY is derived from "Comprehensive Energy Statistics of Japan", published by the Agency for Natural Resources and Energy)

Efforts to secure the stable supply of resources: Japan is strengthening its relationships with the Middle East countries that are its main sources of crude oil. Aiming to increase the amount of LNG in the market, which is low compared to crude oil, Japan is also diversifying its supply sources, and working for further acquisition of resource rights and interests.




What kinds of mineral resources are used?



As an example, the lithium-ion batteries that are used in electric vehicles require rare metals such as lithium, cobalt, and nickel. Japan depends almost 100% on imports for its mineral resources.


(Japan depends 100% on imports for the following 3 minerals.)

Annual import volume of major rare metals




Lithium, Li

It is the lightest metal in the periodic table and has high energy density. Due to those features, it is now a crucial raw material for producing lithium-ion batteries mounted in electric vehicles or as power sources for mobile devices, such as laptop computers.



Cobalt, Co

It is a ferromagnetic white metal, less susceptible to oxidation than iron, and stable with acids and alkali. It is most frequently used in positive electrodes of lithium-ion batteries installed in mobile phones, laptop computers, electric vehicles, and others.



Nickel Ni

It is most commonly used in stainless steel and heat-resistant steel as an alloy combined with chrome or other metals, and is useful in a wide range of the industries from coins to electronics. A nickel compound is used in a positive electrode of nickel-hydrogen batteries and lithium-ion or other batteries.

Source: USGS "Mineral Commodity Summaries 2022"

Lithium: Total of lithium carbonate and lithium hydroxide; Cobalt: Total of matte/clusters and oxide/hydroxide; Nickel: Total of base metal and ferronickel

Efforts to secure the stable supply of mineral resources: The JOGMEC Act has been revised to add investment in domestic smelting and refining businesses (midstream) and loan guarantee operations to JOGMEC risk money support services.

2. Economic Efficiency


Changes in Electric Power Rates



How are electric power rates changing?



Electric power rates have been rising since the Great East Japan Earthquake. The rates declined from FY 2014 to 2016 as a result of falling oil prices, but they are rising again.





Source: Created based on monthly reports of generated and received electric power, financial materials of electric power companies, and power trading reports Crude oil CIF price: Transaction price consisting of the import price plus related costs, such as transport cost and insurance cost.

Factor 1: Fuel prices

Japan imported

Fuel prices have an effect on electric power rates and energy cost.






Factor 2: Cost of renewable energy

Thanks to the introduction of the Feed-In Tariff scheme (FIT) in 2012, the installed capacity of renewable energy systems is growing rapidly. On the other hand, the purchase costs have reached 4.2 trillion yen (approximately 32 billion USD), and the cost of the surcharge to ordinary households based on the average model (260 kWh/month) has risen to 897 yen/month. We are working to expand the introduction of renewable energy sources in a cost-efficient manner in order to maximize the use of renewable energy while decreasing the financial burden of doing so.



Changes in surcharges following the introduction of the FIT scheme



Source: Created by the Agency for Natural Resources and Energy based on JPEA solar panel shipment statistics, NEDO wind power capacity/generation statistics, surveys for potential waterpower, current status and trends of geothermal power generation, and certification results from the RPS system/FIT scheme.


Feed-In Tariff (FIT) scheme: In this scheme, the electricity generated by renewable energy is purchased by electric power companies at a fixed rate for a certain period. The electric power companies will cover the costs of purchasing the electric power from renewable energy through a surcharge that is paid by electricity users.


International comparison of electric power rates

The electric power rates in Japan were in a higher level for both home and industrial uses than other countries, but increasing burdens on the electric power companies overseas due to taxation and policies of promoting the introduction of renewable energy has reduced the gap in the rates between Japan and other countries.

We will have to continue efforts aimed at improving the efficiency of the electric power business and reducing electric power rates. On the other hand, we should be thoughtful of our country's specific conditions, meaning our issues related to resource supply. We should consider that most fuels and raw materials are largely dependent on imports from outside Japan, and thus it is critical for us to secure a stable supply of resources.

International comparison of electric power rates (2019)





3. Environment

Global Warming Countermeasures: Carbon Neutrality

Q


What is carbon neutrality?

A

It refers to achieving net zero greenhouse gas emissions.

- "Greenhouse gas" covers <u>not only CO₂</u> but all gases with a "greenhouse effect," including methane.
- "Net zero gas emissions" means balancing gas emissions with the absorbed amount through removing such gases from the atmosphere, making the total gases emitted to be equal to zero (net zero, or substantially zero).


Greenhouse gas emissions in Japan (FY 2020)



Source: from GIO's "Data of Greenhouse Gas Emissions in Japan"


*The amounts for greenhouse gases other than CO₂ are converted to CO₂ equivalents.

Countries/regions that have agreed with the principle of achieving carbon neutrality



- Countries/regions working toward carbon neutrality (CN) by 2050*1:145
- 40.0% of the world's total CO₂ emissions are from these countries (2018 results*2)
- In addition, China (32.0%), Russia (2.5%), Indonesia (2.2%), and Saudi Arabia (2.0%) will join by 2060, and India (2.7%) will join by 2070. In this way, the movement to set carbon-neutral targets is expanding. (89.4% of the world's total CO₂ emissions are from these countries.)
- Countries agreeing with the principle of achieving carbon neutrality by 2050 (145 countries including Japan)
- Countries agreeing with the principle of achieving carbon neutrality by 2060
- Countries agreeing with the principle of achieving carbon neutrality by 2070
- * (1) Countries participating in the Climate Ambitions Alliance; (2) Countries that have submitted a long-term strategy to the United Nations and announced CN in 2050, and in April 2021 announced CN in 2050 at the Climate Summit COP26. Created by METI by counting countries (as of October 2022)
- * GHG emissions are counted only for CO₂ emissions from energy sources, based on "CO₂ Emissions from Fuel Combustion (2020 data)" published by the IEA in 2022

Image of transition to carbon neutrality



Emissions of Greenhouse Gases




How much greenhouse gas is being emitted in Japan?



The amount of greenhouse gas emissions in Japan increased after the Great East Japan Earthquake. However, in FY 2020, emissions dropped to 1.15 billion tons. Japan must continue working to reduce emissions.

Changes in Japan's greenhouse gas emissions




March 2011 Great East Japan Earthquake

Source: Created based on the "Comprehensive Energy Statistics of Japan", published by the Agency for Natural Resources and Energy and "Calculation results for the amount of greenhouse gas emissions in Japan", published by the Ministry of the Environment.

Greenhouse gases: There are 6 main gases: carbon dioxide, methane, dinitrogen oxide, hydrofluorocarbons, perfluorocarbons, and sulfur hexafluoride.

Column: Outlook for global CO₂ emissions

The recent increase in global greenhouse gas emissions has been driven by economic growth in emerging nations (emissions from non-Annex I parties (developing countries) more than tripled between 1990 and 2020). Japan accounts for about 3% of global emissions. It is believed that global emissions will not improve without emission reductions by emerging nations, not to mention those by developed countries.



Aiming for carbon-neutral and environmentally friendly plastics

The issue of marine pollution resulting from improper disposal of plastics is drawing attention, and efforts are advancing to reduce the use of such plastics. Research and development are underway to address the environmental problems related to plastics.





https://www.enecho.meti.go.jp/about/special/johoteikyo/plastics_01.html

Ensuring safety



What steps are being taken to ensure a stable supply of energy and safety in the face of intensifying natural disasters?



In June 2020, a Cabinet decision was made to enact the Act of Enhancing Energy Supply Resilience, and a partial revision of the Electricity Business Act was made.

They will help to enhance collaborations in case of natural disasters, enhance resilience of the electricity transmission/distribution networks, and build disaster-resilient, distributed power systems.

Damage to the fuel and electric power infrastructure caused by typhoons and torrential rains




Collapsed wind turbine in Awaji City, Hyogo Prefecture (Due to a typhoon in August 2018)



Damaged floating solar power plant in Ichihara City, Chiba Prefecture (Due to a typhoon in September 2019)



Collapsed power transmission tower in Kimitsu City, Chiba Prefecture (Due to a typhoon in September 2019)







Submerged tank lorries (Due to torrential rain in July 2020)

Damage caused by tsunamis

Fukushima Daiichi Nuclear Power Station, which suffered a steam explosion due the effects of tsunamis following the Great East Japan Earthquake (March 2011)





Photo: Tokyo Electric Power Company Holdings Photo & Video Library https://photo.tepco.co.jp

Act for Enhancing Energy Supply Resilience

The Act for Enhancing Energy Supply Resilience is formally named "the Act of Partial Revision of the Electricity Business Act and Other Acts for Establishing Resilient and Sustainable Electricity Supply Systems". As stated in the name ("the Electricity Business Act and Other Acts"), this act contains partial revisions not only for the act governing the electricity business, which is called "the Electricity Business Act," but also for "the Act on Special Measures Concerning Procurement of Electricity from Renewable Energy Sources by Electricity Utilities" ("the Act on Renewable Energy Special Measures") and "the Act on the Japan Oil, Gas and Metals National Corporation" ("JOGMEC Act").


The Electricity Business Act

The Act on Renewable Energy Special Measures

The JOGMEC Act

Effort 1: Enhancing the resilience of electric power infrastructure

In the context of potential risks of large-scale disasters, such as massive typhoons or earthquakes directly beneath the Tokyo Metropolitan Area, as well as increasing demands for decarbonization, it is essential to drastically enhance the resilience of electric power networks in Japan. There is also a high demand to make the transition to next-generation networks suitable for the introduction of large volumes of renewable energy. We will strive to duplicate the nationwide networks to enhance the backup structure for those systems and ensure the resilience of the power infrastructure.



Source: Interim report for building next-generation power networks (Published on September 3, 2021)

Resilience: means sturdiness, recuperative power or elasticity.

Cross-regional interconnection lines: power transmission lines, frequency converters and AC/DC converters that connect different control areas, allowing the exchange of power across area borders.

Effort 2: Conforming to new regulatory requirements for higher levels of safety

Example measures against severe accidents

In preparation for a serious incident in

which vapor in the containment vess

When nuclear power plants are restarted, the Nuclear Regulation Authority will require them to conform to new regulatory requirements, which demand stricter accident-prevention measures than the former requirements. The power plants are also required to prepare provisions for contingencies and anti-terrorism measures.

must be discharged into the atmosphere to reduce the pressure in the containment vessel, the nuclear New regulatory requirements (July 2013) power plants must maintain systems that can limit the volume of discharge of radioactive substances to less that Measures against intentional aircraft measures (newly introduced) 1/1,000 and prevent hydrogen collisions Measures against the proliferation of radioactive materials Severe accident Typical new requirements demanding stricter measures measures Measures against container damage newly introduced) Earthquakes: The reference value for seismic vibration has been revised from 580 Gal to Measures against reactor core damage Tsunamis: Based on the previous experience of earthquake disasters, potential tsunami height is Conventional estimated to be 23.1m and the required height of tide embankments has been revised from 14.8r regulatory requirements Preparedness for internal overflows (Requirement) Tide embankment height: Standards for prevention (Requirement) of severe accidents (Gal) 29m Preparedness for natural phenomena 1,000 Gal (design standards) 1000 Preparedness for natural Strengthened phenomena Preparedness for fires introduced 580 ₁₅ 14.8m Preparedness for fires 13m 500 Reliability of power sources Reliability of power sources Performance of other instruments Performance of other instruments Performance against earthquake NEW (Reference*) OLD NEW (Reference*) Performance against Strengthened earthquake and tsunami and tsunami *Data from the Great Fast Japan Farthquake Source: TEPCO website

Basic Policy



What is the government's basic energy policy?



On the premise of Safety, we are making efforts to simultaneously achieve Energy Security (self-sufficiency rate), Economic Efficiency, and Environment (S+3E).

Japan is a country with limited natural resources. There is no one source of energy that is superior in every way. Therefore, it is essential to create a multi-layered energy supply structure where each energy resource is exploited fully for its best performance and compensates for disadvantages of other resources.



Energy Security (Self-sufficiency rate)

Exceed the level from before the Great East Japan Earthquake (around 20%).

Approximately 30% in FY 2030 (11.3% in FY2020)

Economic Efficiency (Electricity cost)

Expected to be 8.6 to 8.8 trillion yen in 2030, which is lower than 9.7 trillion yen in 2013

Environment (Greenhouse gas emissions)

Expected to be down by 46% in FY2030 compared to FY2013, which is an ambitious reduction target consistent with 2050 carbon neutrality.

* Reduction target for all greenhouse gases including CO₂ from non-energy sources, etc.

Q

What will the primary energy supply and the structure of power sources in the future be?




The figure show the outlook for energy supply and demand* in FY 2030 (energy mix).

* In the light of new GHG emission reduction target in FY2030, this outlook shows energy supply and demand on the ambitious assumption that various challenges in both aspects of supply and demand in promoting thorough energy conservation and expansion of non-fossil energy will be overcome.

Primary Energy Supply Power Generation Mix (Total generated (Total generated electric power) electric power) 1.0327 trillion kWh Around 480 million kl 0.9340 trillion kWh Around 430 million kl Hydrogen, Ammonta Renewable Energy Renewable Hydrogen, Ammonfa 14% Energy 1% Hydro 20% Nuclear power 3% electric Renewable Energy Nuclear power 7% Renewable 11193 22~23% **Energy Natural Gas** 36~38% Nuclear power 22% 9~10% Solor 14~16% **Natural Gas Natural Gas** 34% Nuclear power 18% **Coal 25%** 20~22% Wind 5% Geothermal 1% **Coal 19%** Biomass 5% **Natural Gas** 20% <Reference: FY 2021> **Coal 31%** Hydro electric…7.5% Oil 36% Solar···8.3% Wind ... 0.9% 011311% **Coal 19%** Geothermal···0.3% Biomass…3.2% 0117% Oil 2% FY 2030 FY 2021 FY 2030 FY 2021

Source: "Comprehensive Energy Statistics of Japan"; 2021 preliminary figures published by the Agency for Natural Resources and Energy, outlook for energy supply and demand in FY2030 (related materials) * The sum of the values shown may not be 100% in some cases for a reason of round values.



Hydrogen, Ammonia




What innovations is Japan working on to achieve decarbonization?



For example, production of CO₂-free hydrogen from renewable energy sources, wide-ranging use of hydrogen in fuel cell vehicles and other equipment, fuel ammonia, and Carbon Recycling are promising.

Efforts for creating a hydrogen-based society

We are promoting the use of hydrogen in a wide variety of fields, including fuel cell vehicles and household fuel cells, in addition to the construction of supply chains aimed at enabling large-scale hydrogen supply and international trade in hydrogen.



How to produce hydrogen, a next-generation energy source

There are high hopes for hydrogen to become the next-generation energy as it does not emit CO₂. Also, hydrogen has a great advantage in that it can be made from various resources such as coal and gas, not to mention water. This section introduces how hydrogen is produced.

 $https://www.enecho.meti.go.jp/about/special/johoteikyo/suiso_tukurikata.html\\$





Use this QR code view the article.

Efforts to utilize fuel ammonia

Fuel ammonia can be used as a hydrogen carrier, and it can be manufactured and used at a lower cost than pure hydrogen since it can use existing infrastructure. In addition, fuel ammonia has a combustion speed close to that of coal, so it is suitable for use in coal-fired power generation. Japan is developing the only technology in the world to directly use fuel ammonia in thermal power generation facilities. Currently, Japan has succeeded in stable combustion and suppression of NOx (nitrogen oxide) emissions by co-firing fuel ammonia by 20%. By co-firing fuel ammonia at existing thermal power plants, it will be possible to generate thermal power with lower CO₂ emissions.



Fuel ammonia mixed burner (image)



Facility used to demonstrate mixed combustion (JERA Hekinan Thermal Power Station)

Will ammonia really be available as "fuel"? (Part 1 and Part 2)

When speaking of "ammonia," the image that comes to mind is "a toxic substance with a pungent odor." However, fuel ammonia has great potential as a next-generation energy source.

https://www.enecho.meti.go.jp/about/special/johoteikyo/ammonia_01.html






Use this QR code to view the article. (Japanese only)

Innovation

Development of technology to reduce CO2 emissions

Carbon Recycling (reuse of CO₂)

This is a technology used for capturing CO₂, and utilizing it as a raw material resource in concrete, plastics or others thereby controlling CO₂ emissions into the atmosphere.



Dream technology for CO₂ emissions reduction — Development and implementation of Carbon Recycling

"Carbon Recycling" technologies hold the key to achieving carbon neutrality. We are striving to quickly implement these technologies by carrying out intensive projects at the R&D and Demonstration Base for Carbon Recycling that was established in FY2022.

[What is Carbon Recycling?]

https://www.enecho.meti.go.jp/about/special/johoteikyo/carbon_recycling2021.html







[R&D and Demonstration Base for Carbon Recycling]

https://osakikamijima-carbon-recycling.nedo.go.jp










Artificial photosynthesis

This technology attempts to utilize CO₂ in the chemical industry, which manufactures raw materials for familiar products such as plastics. Japan leads the world in the technology of artificial photosynthesis using photocatalysts. This technology is currently under development via industry-academia collaboration in Japan.





Practical Application of Innovation

Widespread use of power storage systems

Japan is leading the way in technological development and dissemination of power storage systems in its efforts to expand the use of fuel cells and Ene-Farms.

Installation record of home power storage systems in major markets






家庭用燃料電池コージェネレーションシステム

Ene-Farm, the worlds' first household fuel cell that utilizes hydrogen, was launched in Japan in 2009, and as of the end of September 2022, more than 450,000 units were in use.

Going forward, further technological development will take place to reduce the number of parts and pursue further cost reduction. Efforts will focus on ways to make the most of the potential of fuel cells, for instance verifying the feasibility of their use for supply capacity and adjustment power in the power grid. The goal is to support the improvement of the business environment for using this technology.



The re-discovery of fuel cells

Taking the example of stationary fuel cells such as Ene-Farm, already a familiar item for many people, this section introduces the mechanism by which fuel cells generate electricity and heat.

https://www.enecho.meti.go.jp/about/special/johoteikyo/nenryodenchi_01.html



Practical use of various technologies can reduce CO₂ emissions



(perovskite solar cell)



Producing materials such as concrete using captured CO2

Separating and collecting CO₂ from emissions from thermal power plants or other facilities and recycling it into construction materials



Artificial photosynthesis Developing the world's first photocatalyst that decomposes water with a quantum yield close to 100% Oxyger





Bio jet fuel

Developing next-generation electrified aircraft and establishing technologies to realize such aircraft




"CCS" to collect and bury CO2

Demonstration test to be completed soon on using this technology to store CO2 deep underground helow the seahed



Methanation

Reacts hydrogen with CO₂ to synthesize methane (CH₄), which is the main component of natural gas.





7. Renewable Energy

Introduction of Renewable Energy


Q

Is Japan advancing the introduction of renewable energy?




The percentage of renewable energy power in Japan was 19% in FY 2020. Japan ranks 6th in the world in terms of renewable energy generation capacity, and 3rd in the world for solar power generation.

Comparison of percentages of renewable energy in total power generation in major nations (Percentage of total generated power)



Source: Created by the Agency for Natural Resources and Energy based on the IEA "Market Report Series—Renewables 2021" (Power Generation in Each Country as of 2020), IEA database, and the Comprehensive Energy Statistics of Japan (FY2020 confirmed figures).



Making renewable energy a primary source of power


Q

Is it possible to meet all demands of electric power only with renewable energy?



The amount of electricity generated by renewable energy varies significantly depending on the weather and season. In order to ensure a stable supply, it is necessary to secure a method of energy storage to complement renewable energy in combination with flexible output power sources, such as thermal power generation and storage batteries.

Supply/demand situation on the lowest demand day (such as a sunny day in May)



The power generation (supply) should be balanced with consumption (demand) at all times to ensure stable access to electric power.


To this end, power sources with variable output such as thermal power generation are used to compensate for fluctuations in the output of renewable energy generation.

Q

What are the policies being implemented by the government to make renewable energy a major power source?



In the energy mix for 2030, the goal is to utilize renewable energy to contribute 330 to 350 billion kWh. While maximizing the introduction of renewable energy, such as utilizing not only solar power generation but also wind power generation and promoting the introduction of ZEH in newly built houses, policies will also be implemented to minimize safety concerns and environmental impacts.



Strengthening policies to promote introduction of renewable energy

- Introducing more wind power by reinforcing the networks
- · Achieving ZEH targets for newly built houses, etc.

Regarding solar power, safety concerns about potential damage caused by disasters and issues related to the coordination with the local community regarding the impact on the landscape and environment have become apparent. As a result, there is a movement among some local municipalities to establish ordinances to require that notification be filed when developing systems larger than a certain size.







Examples of damage to solar power generation equipment caused by disasters

Cases affecting the landscape

Here's more about the 6th Strategic Energy Plan Renewable energy (1)–(5)

See details of the directions of renewable energy, which is positioned as a primary source of power generation of the future.





https://www.enecho.meti.go.jp/about/special/johoteikyo/energykihonkeikaku2021_kaisetu01.html

8. Reconstruction of Fukushima

Decommissioning Contaminated Water and Treated Water Management of Fukushima Daiichi Nuclear Power Station (FDNPS)

Q

Are decommissioning contaminated water and treated water management at FDNPS progressing?



Although decommissioning contaminated water and treated water management are unprecedented challenges, measures are being implemented safely and steadily based on the "Mid-and-Long-Term Roadmap".

Decommissioning

All reactors are kept in stable condition, and rubble removal, decontamination, and other measures are being carried out toward fuel removal from the spent fuel pools.

Japanese and UK companies are jointly developing a robot arm for retrieval of fuel debris (melted and solidified fuel). Starting in February 2022, they have been proceeding with equipment testing and operation training at a mock-up reactor simulation facility in Naraha, Fukushima Prefecture. In the future, as soon as preparations are complete, trial retrieval will start using a second unit to steadily expand the scale of the work.



566/566

(Completed in Feb. 2021)

Countermeasures for contaminated water and treated water

0/392

(Start from FY 2027 - FY 2028)

0/615

(Start from FY 2024 - FY 2026)

The amount of contaminated water generated per day at the FDNPS has been reduced to around 1/4 of the initial amount through multi-layered countermeasures (such as frozen-soil walls). Contaminated water is treated using multiple purification facilities that remove as many of the radioactive materials as possible before the water is stored in tanks.

Currently, these tanks and their piping equipment occupy a large area of the site, and if this situation is not changed, they may become a major obstacle to the future decommissioning work. Under such circumstances, on April 2021, the Government of Japan announced its basic policy, based on which preparation will be started for discharging the ALPS treated water into the sea in about two years, on the premise that strict compliance with various laws and regulations is ensured and that all measures are taken to minimize adverse impacts on reputation. Going forward, the government as a whole will work to eliminate people's concerns.



The safe and secure disposal of treated water for reconstruction and decommissioning

- 1) The release of ALPS-treated water into the ocean and countermeasures against harmful rumors
- 2) What is the "secondary treatment" and what are "other nuclides" contained in the treated water?
- 3) Summary of immediate measures for the disposal of ALPS-treated water
- 4) The IAEA confirms the safety of ALPS-treated water

https://www.enecho.meti.go.jp/about/special/keyword/?k=廃炉





1535/1535

(Completed in Dec. 2014)

Use this QR code to view the article. (Japanese only)

Reconstruction of Fukushima

Q

Are steps progressing for lifting the evacuation orders in Fukushima?




The evacuation order has been lifted on all regions except for the "Restricted Area."

Regarding the "Restricted Area", the evacuation order around the railway stations was lifted in line with the reopening of the entire JR Joban Line in March 2020. Evacuation orders for the Specified Reconstruction and Revitalization Base Areas in Katsurao Village and Okuma Town were lifted in June 2022, and in Futaba Town in August 2022, which allowed residents of the Restricted Area return to their homes for the first time.

For the remaining Tomioka Town and Namie Town, and litate Village, preparations are underway with the goal of lifting evacuation orders around spring this year.

Also, for the areas outside the Reconstruction and Revitalization Base Areas, based on the government policy of August 2021, we will work to lift the evacuation orders over the 2020s, so that residents with the intention to return can do so.



Q

What kind of initiatives are being taken to revitalize industry in Fukushima?



In addition to rebuilding businesses and livelihoods, we will promote the Fukushima Innovation Coast Framework and the Fukushima Plan for a New Energy Society to promote new industrial clustering and development. Efforts are also being made to ensure food safety. All these measures are being taken to support the regional revitalization of Fukushima.

Fukushima Innovation Coast Framework

Various efforts are underway to create new industries in order to achieve industrial restoration in the Hamadori and other areas of Fukushima Prefecture. With the Fukushima Robot Test Field as the core of an industrial cluster, 70 robot-related companies have entered the area since the earthquake.



Fukushima Robot Test Field (Minamisoma City, Namie Town):

This test field is one of the largest flight airspaces and runways in Japan for unmanned aerial vehicle. The research building is home to research and development of advanced technologies such as flying cars (opened in March 2020).

Fukushima Plan for a New Energy Society

In order to make Fukushima a pioneer of the new energy society of the future, efforts are being accelerated to further expand the introduction of renewable energy and realize a hydrogen-based society. These measures are being implemented to support the reconstruction from the energy field.



Fukushima Hydrogen Energy Research Field (FH2R):

Conducting demonstration projects for large-scale production of hydrogen from renewable energy using the world's leading 10,000 kW-class water electrolyzer (opened in March 2020).

Food safety in Fukushima Prefecture

Agricultural, forestry and fishery products produced in Fukushima are tested for safety before shipment. Any items exceeding the radiation standards are restricted from shipment at each city, town, or village level; therefore, such items will not be distributed to the market.

Classification	Number of inspections	Number exceeding standard	Percentage exceeding standard
Brown rice	1,055	0	_
Vegetables /fruits	2,091	0	_
Livestock products	3,682	0	-
Cultivated plants /mushrooms	628	0	_
Marine seafood	3,956	1	0.03%
Fish from inland fisheries	46	0	_
Edible wild plants /mushrooms	664	0	-
Fish in rivers and lakes	401	2	0.5%

Status of monitoring inspections for agricultural, forestry and fishery products (April 1, 2021 - March 31, 2022)

Source: Created based on "Progress of Fukushima Recovery 31.1"

*Tests conducted by Fukushima Prefecture based on government guidelines. Items for shipping and sales are eligible. Fish in rivers and lakes that exceed the standard values are items for which the government has already imposed restrictions on shipment.

9. Nuclear Power


Operational Status of Nuclear Power Plants



Is nuclear power generation necessary?




For a country with limited natural resources, nuclear power generation is essential in order to achieve the following three objectives: (1) securing a stable supply of power; (2) curbing electric power costs; (3) reducing greenhouse gas emissions. In order for nuclear power plants to be restarted, they are required to conform with new regulatory requirements that prioritize safety.



Nuclear Fuel Cycle and Geological Disposal

Japan is advancing technologies for the "nuclear fuel cycle", in which spent fuel from nuclear reactors is reprocessed, the recovered uranium and plutonium are reused, and the volume of waste is reduced.



Nationwide Map of Scientific Features and Literature Survey

To promote a better understanding of the mechanism of geological disposal and the geological environment of Japan, the "Nationwide Map of Scientific Features" was published in July 2017.

Classification of area into 4 colors based on scientific features

- Orange: Areas close to a volcano, active fault, etc.
- ◆ Silver: Areas with underground mineral resources
- Green: Areas assumed to be favorable
- ♦ Dark green: Areas assumed to be preferable also from the viewpoint of safe waste transportation

Read more about a map





* Even in the green areas, step-by-step investigations need to be conducted to confirm precisely whether a particular location satisfies the required conditions for geological disposal.

https://www.enecho.meti.go.jp/en/category/electricity_and_gas/nuclear/rwm/

Read more about




Since the Nationwide Map of Scientific Features was published, public dialogue sessions with local people have been held throughout Japan. Building on these past efforts, dialogues will continue to be held across Japan aiming to conduct literature survey in as many areas as possible.

Nationwide Map of Scientific Features

Les this OR code to view the article

Use this QR code to view the article. (Japanese only)

Nationwide Map of Scientific Features published (July 2017) Public dialogue sessions throughout Japan Provision of information to meet the needs of interested parties and stakeholders



Selecting or proposals from overnment occal governments (Desk study)

Selecting sites for the preliminary investigation (Borehole investigation)

No radioactive substances will be brought into the target area during the investigations period which is expected to be approximately 20 years.

Selecting sites for the detailed investigation


(Investigations and experiments in underground facilities)

Selecting a planned site of facilities

Hearing of opinions from the community (not to advance without community consent)) Hearing of opinions from the community (not to advance without community consent)) Hearing of opinions from the community (not to advance without community consent))

Column: Nuclear power perspectives in the world

According to an analysis by the International Energy Agency (IEA), there will be an increasing need for constructing new nuclear power plants and expanding related investment in order to achieve net-zero emissions by 2050 in various countries and regions around the world.



Nuclear power generation capacity throughout the world will double by 2050 to 812 GW from the current level of 413 GW. Developed countries will shrink in their capacity by 2030 due to aging and decommissioning of nuclear reactors, but will recover by constructing new ones. China will become the world leader in nuclear power generation and will own one-third of the world's nuclear power plants by 2050.

Global average annual investment in nuclear power in the Net-Zero Emissions by 2050 Scenario billion 60 JSD Other advanced economies 40 20 G7 members 0 2016-2020 2021-2025 2026-2030 2031-2035 2036-2040 2041-2045

Global investment in nuclear power will surge from \$30 billion in the 2010s to more than \$100 billion in 2030. Developing countries will need investment until 2035. By 2050, investment will gradually shift to developed countries. Those developed countries will increase investment to extend the life of existing reactors and to build new reactors.

Source: "Nuclear Power and Secure Energy Transitions: From Today's Challenges to Tomorrow's Clean Energy System" by IEA (2022)

Here's more about the 6th Strategic Energy Plan, nuclear power generation

The accident at the Tokyo Electric Power Company's Fukushima Daiichi Nuclear Power Station in 2011 must be remembered and reflected upon as the starting point our nuclear power policy. The Strategic Energy Plan states that the necessary scale of nuclear facilities should be maintained and utilized sustainably on the premise of ensuring safety.



https://www.enecho.meti.go.jp/about/special/johoteikyo/energykihonkeikaku2021_kaisetu07.html

10. Energy Efficiency

Improving Energy Efficiency




How much energy efficiency has Japan accomplished?




Japan has strengthened its efforts to improve energy consumption efficiency and achieved a reduction in energy consumption by about 62 million kl crude oil equivalent. The goal is to improve energy consumption efficiency by about 40%, to reach an all-time high level.

Final energy demand with the currently planned energy mix



Source: Created based on "Comprehensive Energy Statistics of Japan", published by the Agency for Natural Resources and Energy; "System of National Accounts", published by the Cabinet Office; and "Handbook of Japan's & World Energy & Economic Statistics", published by the Institute of Energy Economics, Japan.


Energy efficiency improvements




* Assuming energy efficiency in 1970, 1990, and 2012 to be 100 * Energy efficiency = Final energy consumption / Real GDP

Improvement of energy-saving efficiency performance of ZEH houses and buildings

In the business/housing sector, with the aim of ensuring energy efficiency at the level of ZEH/ZEB standards for new houses and buildings built after 2030, efforts are underway to make energy efficiency standards mandatory and raise those standard levels under the Act on the Improvement of Energy Consumption Performance of Buildings, as well as raise the "top-runner" standards in building materials and equipment.





ZEH (net Zero Energy Houses) are houses that make the balance of annual primary energy consumption net zero while maintaining indoor comfort levels. They achieve significant levels of energy efficiency by using high-performance heat insulation on the exterior of the homes and adopting highly efficient equipment and systems, while also using renewable energy.

Energy conservation/efficiency improvement portal site

This special site introduces Japan's energy conservation/efficiency improvement policies, reference information, energy-saving practices that everyone can try at home, related subsidies, and information on how to choose products with improved energy efficiency.

https://www.enecho.meti.go.jp/category/saving_and_new/saving/





Contact: Research and Public Relations Office, General Policy Division. Director- General's Secretariat, Agency for Natural Resources and Energy, Ministry of Economy, Trade and Industry 1-3-1 Kasumigaseki, Chivoda-ku, Tokvo 100-8931

TEL. +81-(0)3-3501-1511(main) https://www.enecho.meti.go.jp/

Please go to the below URL to see the electronic version (pdf) of this brochure.

https://www.enecho.meti.go.jp/en/category/brochures/ Japan's Energy, Issued: February 2023

Click here if you would like to know more about energy Special contents Various topics on energy

https://www.enecho.meti.go.jp/en/category/special/



